

YUKON WATER BOARD

Pursuant to the *Waters Act* and *Waters Regulation*, the Yukon Water Board hereby grants a Type B water use licence for placer mining undertaking to:

George Wilson
Box 146
Carmacks, Yukon
Y0B 1C0

LICENCE NUMBER: PM10-003
LICENCE TYPE: B **UNDERTAKING:** PLACER
WATERSHED: Yukon River South **WATER MANAGEMENT AREA:** 2

HABITAT CLASSIFICATION:

Sonora Gulch: Operational – Fresh Water Fisheries Production Zone
Restoration – Fresh Water Fisheries Production Zone
Hayes Creek: Operational – Moderate - Low
Restoration – Moderate - Low

LOCATION: Latitude: 62° 40' N Longitude: 138° 02' W


WATER SOURCE: Sonora Gulch, a tributary of Hayes Creek


MAXIMUM QUANTITY: 1,800 cubic metres per day

EFFECTIVE DATE: The effective date of this licence shall be the date on which the signature of the Chairperson of the Yukon Water Board is affixed.

EXPIRY DATE: October 31, 2014

This licence shall be subject to the restrictions and conditions contained herein, and to the restrictions and conditions contained in the *Waters Act* and the *Waters Regulation* made thereunder.

Dated this 18th day of
June, 2010.

Witness

Approved by:

Chairperson
YUKON WATER BOARD

PART A DEFINITIONS

“Act” means *Waters Act* and any amendments thereto.

“Action Level” means the end-of-pipe sediment concentrations that must not be exceeded, on average, for the life of the mining operation.

“Application” means application for water use licence PM10-003 and placer mining land use approval AP10003 and any subsequent information presented to the Yukon Water Board up to the date of the Board’s decision.

“Board” means the Yukon Water Board.

“Compliance Level” means a maximum end-of-pipe concentration that shall never be exceeded.

“Design Target” means the best settling facility that can be established at a placer mining operation, given the prevailing site characteristics.

“Inspector” means any person designated as an Inspector under the Act.

“Instream Settling Facility” means a water impoundment structure, pond, or series of ponds, where effluent is collected and retained for treatment, which is constructed in a natural channel or in a diversion, and through which the entire creek flow may be directed at any time.

“Natural Boundary” means the visible high water mark of any lake, river, stream or other body of water where the presence and action of the water is so common and usual, and so long continued, as to mark upon the soil of the bed of the lake, stream or other body of water, a character distinct from that of the banks thereof, both in respect to vegetation and in respect to the nature of the soil itself. In addition, the best estimates of the edge of dormant or old side channels and marsh areas are considered to be natural boundaries.

“Regulation” means the *Waters Regulation*.

“Seasonal Diversion” means any direct or indirect alteration of a portion, or all, of the water flowing in the route, bed, bank or boundaries of a river, stream, lake or watercourse and is in place for less than one year.

“Spring Freshet” means the sudden increase in flow carried by a stream as snowmelt occurs at higher elevations in the watershed.

“Waste” means any substance as defined in the Act.

“Watercourse” means any stream, lake, pond, river, creek, spring, ravine or swamp, whether ordinarily containing the water or not.

“Wetted Perimeter” means the horizontal extent of the present water level while the work is taking place.

“Work Areas” means any area disturbed and/or altered by mining activities, excluding any stable diversion channel.

PART B WATER USE AND WASTE DEPOSIT

1. The Licensee is hereby authorized to:
 - a) obtain water from Sonora Gulch at a quantity of 1,800 cubic metres per day; and
 - b) use this water for a placer mining undertaking on the following grant numbers:
P 46902 P 46903 P 46904 P 46905 P 46906
P 46907 P 46908 P 46909 P 47334; and
 - c) return a flow of water to Hayes Creek, and to deposit Waste into Hayes Creek; and
 - d) construct a cross-stream dam on Sonora Gulch; and
 - e) use Sonora Gulch as a conduit to transport sediment to the downstream settling facility, and use and maintain existing Instream Settling facility.
2. All of the activities authorized in Part B (1) shall be as described in the Application and subject to the conditions of this licence. Where there is a discrepancy between the Application and the conditions of this licence, then the conditions of this licence shall prevail.
3. All work authorized by this licence shall occur on the property that the Licensee has the right to enter upon and use for that purpose.
4. Where there is a discrepancy between this licence and the Yukon South River Watershed Authorization, as attached as Appendix A, then the conditions of the Watershed Authorization shall prevail.
5. Effluent Quality Standard for Hayes Creek: The Licensee shall comply with the Category A Moderate - Low effluent discharge standards for any grab sample taken at the point in the effluent flow immediately before it enters the Hayes Creek natural stream flow, as follows:
 - a) The Design Target for effluent discharge shall be 0.2 ml/L; and
 - b) The Action Level for effluent discharge shall be 0.8 ml/L; and
 - c) The Compliance Level for effluent discharge shall be 1.2 ml/L.
6. Effluent Quality Standard for Sonora Gulch: If at any time the Licensee discharges from the settling pond on claim P 46906, when Sonora Gulch is not being diverted into the settling pond on claim P 47334, the Licensee shall comply with the Category A Fresh Water Fisheries Production Zone effluent discharge standards for any grab sample taken at the point in the effluent flow immediately before it enters the Sonora Gulch natural stream flow, as follows:
 - a) The Design Target for effluent discharge shall be 0.2 ml/L; and
 - b) The Action Level for effluent discharge shall be 1.0 ml/L; and
 - c) The Compliance Level for effluent discharge shall be 1.5 ml/L.

7. All effluent discharge levels included in this licence are identified in excess of natural background concentrations in the Watercourse at the time of sampling.
8. Except as otherwise authorized by this licence, the Licensee shall not deposit, or permit the deposit of Waste containing:
 - a) Anything toxic to fish;
 - b) Floating solids;
 - c) Visible oil or grease; or
 - d) A total concentration of mercury in excess of 0.005 milligrams per litre;

into a receiving Watercourse, or in any place, under conditions where such Waste, or any other Waste results from the deposit of such Waste, if resulting Waste contains any of the items prohibited by this paragraph, may enter the receiving Watercourse.

9. Except as authorized by this licence, no Waste shall enter any Watercourse as a result of any activity carried out by the Licensee.
10. Fuels, lubricants, cleansers, solvents and similar chemicals or substances shall be used, transported, stored and disposed of in such a way that said substances are not deposited in, or allowed to be deposited in, waters.

PART C MINING ACTIVITIES

11. The Licensee may construct a Seasonal Diversion on Sonora Gulch, as described in the Application and subject to the Yukon River South Watershed Authorization.
12. The Licensee may construct a cross-stream dam on Sonora Gulch. The cross-stream dam shall be constructed and maintained to withstand and convey at least a 1:1 year flood flow.
13. Armouring shall be installed at both the upstream and downstream ends of the diversion.
14. The Licensee may construct an intake ditch to an out-of-stream pump pond/reservoir on claim P 46906.
15. Armouring shall be installed at the confluence of the intake ditch and the Watercourse.
16. All instream earthworks, diversions, ditches, spillways and any other water related structures built, or otherwise constructed, for the storage or conveyance of water shall be able to withstand seasonal floods.
17. All storage and settling facilities and associated spillways, drains and water supply ditches located outside the Watercourse channel shall be of adequate capacity and construction.

18. All works associated with the undertaking, including, but not limited to, all dams, weirs, spillways, stream crossings, ditches, gates, water intakes, culverts and settling facilities shall be maintained in good repair.
19. A protective berm shall be constructed and maintained along the Watercourse channel diversions, if space allows or as determined by an Inspector.
20. Settling facilities shall be provided for all mining wastewater.
21. Available overburden shall be stockpiled for use in future site restoration, and such stockpiles shall be located where they will not adversely affect water quality in any Watercourse.
22. The Licensee shall provide barriers consisting of fish guards, screens, coverings or nets on all water intakes as follows:
 - a) Screens or nets shall have a minimum of 3.5 openings per centimeter and openings no greater than 3.2 millimetres along any given side.
 - b) If a punch plate or similar material is used, openings shall be no greater than 3.2 millimetres in length or width.
 - c) There shall be no less than 929 square centimeters of open screen for every 205 litres per minute being withdrawn.
 - d) The barriers shall be monitored and maintained to ensure that they function effectively at all times when water is being withdrawn.
 - e) The barriers shall be designed and installed in such a manner that the screen is submerged and a uniform flow is maintained through the total screen area.
 - f) Water shall not be withdrawn when the barrier is removed for renewal, repair or inspection.
 - g) The Licensee shall cease pumping or decanting and take remedial action if there is alteration to the bed or bank of the Watercourse resulting from any activity undertaken by the Licensee.

PART D DIVERSION/CHANNEL CONSTRUCTION AND RESTORATION

23. The Licensee shall adhere to the following conditions regarding construction of all diversions, redirection of the Watercourse into the original channel and restoration:
 - a) The Seasonal Diversion shall be built to a 1:1 flood design level.
 - b) The Seasonal Diversion channel width shall be no less than 1.2 metres.
 - c) The Seasonal Diversion channel depth shall be no less than 0.75 metres.
 - d) The Seasonal Diversion channel grade shall be between 0.0 % and 4.0 %.
 - e) The bed and banks of the Seasonal Diversion channel shall be left in a stable condition.

- f) The bed and banks of any tributary (gulch or pup) of Sonora Gulch shall be left in a stable condition and shall be left in such a manner so that erosion is controlled and revegetation is possible.

PART E SEASONAL CLOSURE

- 24. The Licensee shall comply with the following conditions pertaining to seasonal closure:
 - a) The mine site shall be left in a stable condition at the end of each mining season.
 - b) An Inspector shall be contacted not less than 2 weeks prior to seasonal closure.
 - c) To prevent flood damage during freshet, the Licensee shall:
 - i) block all intakes to the out-of-stream reservoirs; and
 - ii) breach and armour the instream dam.
 - d) Spring Freshet shall not be routed through Work Areas.
 - e) All mined or otherwise disturbed ground surfaces, including cut banks, fill slopes and tailings piles shall be stabilized annually to prevent erosion and surface runoff from carrying sediment into adjacent Watercourses.

PART F DECOMMISSIONING

- 25. Prior to final decommissioning and/or expiry of this licence, the Licensee shall:
 - a) ensure that the final creek channel approximates its pre-licence condition in length, gradient and stability, except as may otherwise be required in this licence; and
 - b) ensure that all cross-stream dams and dikes across Watercourse channels are removed; and
 - c) contact an Inspector not less than 2 weeks prior to final decommissioning.

PART G REPORTS, SAMPLING AND ANALYSIS

- 26. Where there is a surface discharge from the settling facilities, the Licensee shall take weekly samples at a point upstream of the water supply and intake and at a point in the effluent flow immediately before it enters the natural stream flow, and shall analyze these samples for settleable solids using the Imhoff cone 1 hour test or laboratory analysis.
- 27. Where no discharge from the settling facility to a Watercourse occurs, whether by surface discharge or seepage, no sampling is required.
- 28. On or before the anniversary date of issuance of this licence, and for each year during which this licence is in effect, the Licensee shall submit an annual report to the Board.

29. Annual reports during the year reported shall include the information required by this licence and by the Regulation including, but not necessarily limited to:
- a) The quantity of water used under this licence; and
 - b) The quantity, concentration and type of any Waste deposited under this licence; and
 - c) All data collected which is required by this licence; and
 - d) A description of the reclamation that has taken place; and
 - e) A list of grant numbers of claims where any reclamation has taken place.

PART H GENERAL CONDITIONS

30. The expiry date of this licence shall be October 31, 2014.
31. Sewage, including all human excreta and wastewater associated with daily camp operations, shall be deposited of in accordance with the *Public Health and Safety Act* of the Yukon.
32. The location of subsurface grey water pits and/or privies shall be not less than 30 metres from the Natural Boundary of any Watercourse, and at least 1.2 metres above bedrock or the water table.
33. If very permeable soils are encountered, the pit privy or grey water pit shall be lined with 0.6 metres of sand or silt.
34. All garbage and refuse shall be kept in a covered container until removed from the site or, where appropriate, incinerated and buried under not less than 1 metre of compacted soil in pits located not less than 30 metres from the Natural Boundary of any Watercourse.
35. The Licensee shall immediately contact the 24-hour Yukon Spill Report number (867) 667-7244, and implement the Spill Contingency Plan should a spill or unauthorized discharge occur. A detailed written report on any such event including, but not limited to, dates, quantities, parameters, causes and other relevant details and explanations shall be submitted to the Board no later than 10 days after its occurrence.
36. No condition of the water use licence limits the application of any federal, territorial, or first nation legislation.
37. In the event that the Licensee fails to comply with any provision or condition of this licence, the Board may, subject to the Act, cancel the licence.
38. Where any direction, notice, order or report under this licence is required to be in writing, it shall be given:

- a) To the Licensee, if delivered or mailed by registered mail, to the following address:

George Wilson
Box 146
Carmacks, Yukon, Y0B 1C0

and shall be deemed to have been given to the Licensee on the day it was delivered or 7 days after the day it was mailed, as the case may be; or

- b) To the Board, if delivered, faxed or mailed by registered mail, to the following address:

Yukon Water Board
Suite 106, 419 Range Road
Whitehorse, YT Y1A 3V1

Fax#: (867) 456-3890

and shall be deemed to have been given to the Board on the day it was delivered or faxed, or 7 days after the day it was mailed, as the case may be.

- c) The Board or the Licensee may, by notice in writing, change its address for delivery.
-